

## **Molecular Cell Research**

including Signal Transduction Vol. 1223, No. 1; 11 August 1994



## **Cumulative Contents**

Information for Contributors	vii	Subsection	
Regular Section		Regular Papers	
Regular Papers		Phosphorylation of DNA topoisomerase I is in-	
Normal differentiation of rat brown adipocytes in primary culture judged by their expressions of uncoupling protein and the physiological isoform of glucose transporter  A. Shima, Y. Shinohara, K. Doi and H. Terada		creased during the response of mammalian cells to mitogenic stimuli  D.S. Samuels, Y. Shimizu, T. Nakabayashi and N. Shimizu (USA, Japan)  Leupeptin inhibits phospholipases D and C activa-	77
(Japan)  Heme oxygenase and oxidative stress. Evidence of involvement of bilirubin as physiological protec-	1	tion in rat hepatocytes  C. Benistant, G. Moehren, L. Gustavsson, E. Torres-Marquez, J.B. Hoek and R. Rubin (USA)	84
tor against oxidative damage  S.F. Llesuy and M.L. Tomaro (Argentina)  Thiol-bearing compounds selectively inhibit protein	9	Parathyroid hormone (PTH) and PTH-related protein stimulate surfactant phospholipid synthesis in rat fetal lung, apparently by a mesenchymal-epi-	04
kinase C-dependent oxidative events and proliferation in human T cells  T.M. Jeitner, C.L. Kneale, R.I. Christopherson		thelial mechanism L.P. Rubin, O. Kifor, J. Hua, E.M. Brown and	01
and N.H. Hunt (Australia)  Suppression of heat-shock protein synthesis by short-chain fatty acids and alcohols	15	<ul> <li>J.S. Torday (USA)</li> <li>A phospholipase C inhibitor, U-73122, blocks TSH-induced inositol trisphosphate production, Ca<sup>2+</sup> increase and arachidonic acid release in FRTL-5</li> </ul>	91
R.J.L. Munks and B.M. Turner (UK)  The effect of sphingosine on the release of fi- bronectin from human lung fibroblasts	23	thyroid cells  XD. Wang, J.G. Kiang and R.C. Smallridge (USA)	101
G. Scita and G. Wolf (USA)  CD14-dependent induction of protein tyrosine phosphorylation by lipopolysaccharide in murine Blymphoma cells	29	Abnormalities of parathyroid hormone-mediated signal transduction mechanisms in opossum kidney cells  G. Quamme, S. Pelech, J. Biber and H. Murer	
C.B. LeGrand and R. Thieringer (USA)  Mechanism of macrophage recognition of SHoxidized erythrocytes: recognition of glycophorin A on erythrocytes by a macrophage receptor for sialosaccharides	36	(Canada, Switzerland)  Possible involvement of a phosphatidylinositol-type signaling pathway in glucose-induced activation of plasma membrane H <sup>+</sup> -ATPase and cellular proton extrusion in the yeast Saccharomyces	107
<ul> <li>M. Beppu, T. Takahashi, T. Hayashi and K. Kikugawa (Japan)</li> <li>Inhibition of porcine brain inositol 1,3,4-trisphosphate kinase by inositol polyphosphates, other polyol phosphates, polyanions and polycations</li> </ul>	47	cerevisiae R.L. Brandão, N.M. De Magalhães-Rocha, R. Alijo, J. Ramos and J.M. Thevelein (Belgium, Spain, Brazil) Protein kinase C activation inhibits cytokine-induced	117
P.J. Hughes, C.J. Kirk and R.H. Michell (UK)	57	nitric oxide synthesis in vascular smooth muscle cells	
Rapid Report		Yj. Geng, Q. Wu and G.K. Hansson (Sweden)	125
Selective expression of the high-affinity isoform of the folate receptor (FR-α) in the human placental syncytiotrophoblast and choriocarcinoma cells <i>P.D. Prasad</i> , S. Ramamoorthy, A.J. Moe, C.H.		Directed cell killing (apoptosis) in human lym- phoblastoid cells incubated in the presence of farnesol: effect of phosphatidylcholine J.S. Haug, C.M. Goldner, E.M. Yazlovitskaya,	
Smith, F.H. Leibach and V. Ganapathy (USA)	71	P.A. Voziyan and G. Melnykovych (USA)	133

Angiotensin II induces TGF-β1 production in rat heart endothelial cells  C.C. Chua, C.A. Diglio, B.B. Siu and B.H.L.  Chua (USA)	141	Identification of specific regions of the human endothelin-B receptor required for high affinity binding with endothelin-3  M. Adachi, Y. Furuichi and C. Miyamoto (Japan)	202
Short Sequence-Papers		The response of human dermal microvascular endothelial cells to hypoxia  J. Mansbridge, B. Murphy, V. Morhenn, K. Hill-	
Cloning and characterization of cDNAs encoding two normal isoforms of bovine stem cell factor		man, K. Hillman, R. Sutherland and M. Karasek (USA)  Effects of DMSO-induced differentiation on arachi-	209
<ul><li>JH. Zhou, H. Hikono, M. Ohtaki, T. Kubota and M. Sakurai (Japan)</li><li>Cloning and expression of a cDNA encoding bovine</li></ul>	148	donate mobilization in the human histiocytic lym- phoma cell line U937: responsiveness to sub-mi-	
muscarinic acetylcholine m3 receptor P.H.K. Lee, P.K. Hodges, F. Glickman and KJ. Chang (USA)	151	cromolar calcium ionophore A23187 and phorbol esters  B.A. Rzigalinski and M.D. Rosenthal (USA)	219
Human N-methyl-D-aspartate receptor modulatory subunit hNR2A: cloning and sequencing of the cDNA and primary structure of the protein	131	Two separate plasma membrane Ca <sup>2+</sup> carriers participate in receptor-mediated Ca <sup>2+</sup> influx in rat hepatocytes	21)
R.L. Foldes, SL. Adams, R.P. Fantaske and R.K. Kamboj (Canada)  Cloning and characterization of cDNA encoding rat	155	G.E.N. Kass, S.C. Chow, A. Gahm, DL. Webb, PO. Berggren, J. Llopis and S. Orrenius (Sweden)	226
ADP-ribosyl cyclase/cyclic ADP-ribose hydro- lase (homologue to human CD38) from islets of Langerhans		Phosphorylation of poly(ADP-ribose)polymerase protein in human peripheral lymphocytes stimulated with phytohemagglutinin	
T. Koguma, S. Takasawa, A. Tohgo, T. Karasawa, Y. Furuya, H. Yonekura and H. Okamoto (Japan)	160	P.I. Bauer, G. Farkas, R. Mihalik, L. Kopper, E. Kun and A. Faragó (Hungary, USA)	234
Regular Section		Subsection	
Regular Papers		Regular Papers	
Regular Papers  Roles of myosin light-chain kinase in platelet shape		Lateral mobility of the antagonist-occupied V <sub>2</sub> vaso- pressin receptor in membranes of renal epithelial	
Regular Papers  Roles of myosin light-chain kinase in platelet shape change and aggregation Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K.	1.0	Lateral mobility of the antagonist-occupied V <sub>2</sub> vaso- pressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)	240
Regular Papers  Roles of myosin light-chain kinase in platelet shape change and aggregation  Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto,	163	Lateral mobility of the antagonist-occupied V <sub>2</sub> vaso- pressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F.	240
Regular Papers  Roles of myosin light-chain kinase in platelet shape change and aggregation Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K. Kurokawa (Japan)  Ca <sup>2+</sup> -dependent proteinases (calpains) and muscle cell differentiation P. Cottin, J.J. Brustis, S. Poussard, N. Elamrani,		Lateral mobility of the antagonist-occupied V <sub>2</sub> vasopressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)  Calcium chelators induce apoptosis — evidence that raised intracellular ionised calcium is not essential for apoptosis  R.M. Kluck, C.A. McDougall, B.V. Harmon and	
Regular Papers  Roles of myosin light-chain kinase in platelet shape change and aggregation Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K. Kurokawa (Japan)  Ca <sup>2+</sup> -dependent proteinases (calpains) and muscle cell differentiation	163 170	Lateral mobility of the antagonist-occupied V <sub>2</sub> vasopressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)  Calcium chelators induce apoptosis — evidence that raised intracellular ionised calcium is not essential for apoptosis  R.M. Kluck, C.A. McDougall, B.V. Harmon and J.W. Halliday (Australia)  Molecular properties, substrate specificity and regulation of DNA-dependent protein kinase from Raji Burkitt's lymphoma cells  F. Watanabe, H. Teraoka, S. Iijima, T. Mimori	240
Regular Papers  Roles of myosin light-chain kinase in platelet shape change and aggregation  Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K. Kurokawa (Japan)  Ca <sup>2+</sup> -dependent proteinases (calpains) and muscle cell differentiation  P. Cottin, J.J. Brustis, S. Poussard, N. Elamrani, S. Broncard and A. Ducastaing (France)  Perturbation of C6 glial cells by acetate leads to modulation of [125 I]IGF-II binding to the IGF-II/M6P receptor: implications for ligand internalization studies  W. Kiess, U. Kessler, B. Funk and A. Hoeflich	170	Lateral mobility of the antagonist-occupied V <sub>2</sub> vasopressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)  Calcium chelators induce apoptosis — evidence that raised intracellular ionised calcium is not essential for apoptosis  R.M. Kluck, C.A. McDougall, B.V. Harmon and J.W. Halliday (Australia)  Molecular properties, substrate specificity and regulation of DNA-dependent protein kinase from Raji Burkitt's lymphoma cells  F. Watanabe, H. Teraoka, S. Iijima, T. Mimori and K. Tsukada (Japan)	
Roles of myosin light-chain kinase in platelet shape change and aggregation Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K. Kurokawa (Japan)  Ca <sup>2+</sup> -dependent proteinases (calpains) and muscle cell differentiation P. Cottin, J.J. Brustis, S. Poussard, N. Elamrani, S. Broncard and A. Ducastaing (France)  Perturbation of C6 glial cells by acetate leads to modulation of [125 I]IGF-II binding to the IGF-II/M6P receptor: implications for ligand internalization studies W. Kiess, U. Kessler, B. Funk and A. Hoeflich (Germany)  Inhibition of cytokine-stimulated thymic lymphocyte proliferation by fatty acids: the role of eicosanoids		Lateral mobility of the antagonist-occupied V <sub>2</sub> vasopressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)  Calcium chelators induce apoptosis — evidence that raised intracellular ionised calcium is not essential for apoptosis  R.M. Kluck, C.A. McDougall, B.V. Harmon and J.W. Halliday (Australia)  Molecular properties, substrate specificity and regulation of DNA-dependent protein kinase from Raji Burkitt's lymphoma cells  F. Watanabe, H. Teraoka, S. Iijima, T. Mimori and K. Tsukada (Japan)  Site of dopamine D <sub>1</sub> receptor binding to G <sub>s</sub> protein mapped with synthetic peptides  B. König and M. Grätzel (Switzerland)	247
Roles of myosin light-chain kinase in platelet shape change and aggregation  Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K. Kurokawa (Japan)  Ca <sup>2+</sup> -dependent proteinases (calpains) and muscle cell differentiation P. Cottin, J.J. Brustis, S. Poussard, N. Elamrani, S. Broncard and A. Ducastaing (France)  Perturbation of C6 glial cells by acetate leads to modulation of [125 I]IGF-II binding to the IGF-II/M6P receptor: implications for ligand internalization studies W. Kiess, U. Kessler, B. Funk and A. Hoeflich (Germany)  Inhibition of cytokine-stimulated thymic lymphocyte proliferation by fatty acids: the role of eicosanoids D. Rotondo, C.R.A. Earl, K.J. Laing and D. Kaimakamis (UK)	170	Lateral mobility of the antagonist-occupied V <sub>2</sub> vasopressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)  Calcium chelators induce apoptosis — evidence that raised intracellular ionised calcium is not essential for apoptosis  R.M. Kluck, C.A. McDougall, B.V. Harmon and J.W. Halliday (Australia)  Molecular properties, substrate specificity and regulation of DNA-dependent protein kinase from Raji Burkitt's lymphoma cells  F. Watanabe, H. Teraoka, S. Iijima, T. Mimori and K. Tsukada (Japan)  Site of dopamine D <sub>1</sub> receptor binding to G <sub>s</sub> protein mapped with synthetic peptides  B. König and M. Grätzel (Switzerland)  Role of protein phosphorylation in the degranulation of electropermeabilized human neutrophils	<ul><li>247</li><li>255</li></ul>
Roles of myosin light-chain kinase in platelet shape change and aggregation Y. Hashimoto, H. Sasaki, M. Togo, K. Tsukamoto, Y. Horie, H. Fukata, T. Watanabe and K. Kurokawa (Japan)  Ca <sup>2+</sup> -dependent proteinases (calpains) and muscle cell differentiation P. Cottin, J.J. Brustis, S. Poussard, N. Elamrani, S. Broncard and A. Ducastaing (France)  Perturbation of C6 glial cells by acetate leads to modulation of [125 I]IGF-II binding to the IGF-II/M6P receptor: implications for ligand internalization studies W. Kiess, U. Kessler, B. Funk and A. Hoeflich (Germany)  Inhibition of cytokine-stimulated thymic lymphocyte proliferation by fatty acids: the role of eicosanoids D. Rotondo, C.R.A. Earl, K.J. Laing and D.	170 179	Lateral mobility of the antagonist-occupied V <sub>2</sub> vasopressin receptor in membranes of renal epithelial cells  I. Pavo, D.A. Jans, R. Peters, B. Penke and F. Fahrenholz (Germany, Hungary)  Calcium chelators induce apoptosis — evidence that raised intracellular ionised calcium is not essential for apoptosis  R.M. Kluck, C.A. McDougall, B.V. Harmon and J.W. Halliday (Australia)  Molecular properties, substrate specificity and regulation of DNA-dependent protein kinase from Raji Burkitt's lymphoma cells  F. Watanabe, H. Teraoka, S. Iijima, T. Mimori and K. Tsukada (Japan)  Site of dopamine D <sub>1</sub> receptor binding to G <sub>s</sub> protein mapped with synthetic peptides  B. König and M. Grätzel (Switzerland)  Role of protein phosphorylation in the degranulation of electropermeabilized human neutrophils  H.W.M. Niessen and A.J. Verhoeven (Nether-	<ul><li>247</li><li>255</li></ul>

Modulation of P <sub>i</sub> transport in skeletal muscle by insulin and IGF-1  K.E. Polgreen, G.J. Kemp, B. Leighton and G.K. Radda (UK)	279	Purification and characterization of a novel calciumbinding protein, S100C, from porcine heart M. Naka, Z.X. Qing, T. Sasaki, H. Kise, I. Tawara, S. Hamaguchi and T. Tanaka (Japan)	
Regeneration of active receptor recognition domains on the B subunit of cholera toxin by formation of hybrids from chemically inactivated derivatives		Mechanism of S100 protein-dependent inhibition of glial fibrillary acidic protein (GFAP) polymerization	
M.J.S. De Wolf and W.S.H. Dierick (Belgium)  Interaction of a cholera toxin derivative containing a reduced number of receptor binding sites with	285	R. Bianchi, M. Verzini, M. Garbuglia, I. Giambanco and R. Donato (Italy)	354
intact cells in culture  M.J.S. De Wolf, E. Dams and W.S.H. Dierick		Section II	
(Belgium)	296	Calpactin I binds to the glial fibrillary acidic protein (GFAP) and cosediments with glial filaments in a	
Short Sequence-Paper		Ca <sup>2+</sup> -dependent manner: implications for concerted regulatory effects of calpactin I and S100	
Cloning and sequencing of the cDNAs encoding two alternative splicing-derived variants of the alpha		protein on glial filaments  P. Pignahi, M. Garbuglia, M. Verzini, I. Gi	
subunit of the granulocyte-macrophage colony-		R. Bianchi, M. Garbuglia, M. Verzini, I. Giambanco and R. Donato (Italy)	361
stimulating factor receptor	206	Annexin VI isoforms are differentially expressed in	
X. Hu, P.D. Emanuel and K.S. Zuckerman (USA)	306	mammalian tissues M.A. Kaetzel, G. Pula, B. Campos, P. Uhrin, N.	
Erratum	309	Horseman and J.R. Dedman (USA)	368
		The annexin II <sub>2</sub> p11 <sub>2</sub> complex is the major protein component of the Triton X-100-insoluble low-	
Preface	vii	density fraction prepared from MDCK cells in the presence of Ca <sup>2+</sup>	
Section I		T. Harder and V. Gerke (Germany)	375
Differential distribution of neurocalcin isoforms in rat spinal cord, dorsal root ganglia and muscle spindle  K. Okazaki, S. Iino, S. Inoue, S. Kobayashi and		Expression of annexin VI in A431 carcinoma cells suppresses proliferation: a possible role for annexin VI in cell growth regulation  J. Theobald, P.D. Smith, S.M. Jacob and S.E.	383
H. Hidaka (Japan)	311	Moss (UK)	303
Calmodulin, calbindin-D28K and calretinin in rat and chicken pineal glands: immunocytochemical and immunoblotting analysis		Section III	
R. Pochet, J. Van Rampelbergh, E. Bastianelli and L.J. Van Eldik (Belgium, USA)  Ca <sup>2+</sup> is involved through type II calmodulin-depend-	318	Expression of intracellular calcium-binding proteins in cultured skin fibroblasts from Alzheimer and normal aged donors	
ent protein kinase in cyclin degradation and exit from metaphase		U.G. Föhr, G.E. Gibson, B. Tofel-Grehl, B.W. Schäfer and C.W. Heizmann (Switzerland, USA)	391
T. Lorca, A. Abrieu, A. Means and M. Dorée (France, USA)	325	S100 $\beta$ expression in Alzheimer's disease: relation to neuropathology in brain regions	200
Expression of muscle calsequestrin in epithelial HeLa		L.J. Van Eldik and W.S.T. Griffin (USA)	398
cells: distribution and functional role  P. Papazafiri, M. Bossi and J. Meldolesi (Italy)	333	Cumulative Contents Vol. 1223	405
Gain of function mutations for yeast calmodulin and calcium dependent regulation of protein kinase activity	333	Author Index	409
T.J. Lukas, M. Collinge, J. Haiech and D.M. Watterson (USA, France)	341		

